



ISSN 1454-9166

ANNALS
OF THE UNIVERSITY OF PETROSANI
MECHANICAL ENGINEERING

VOL. 9 (XXXVI)
PART II

Editura UNIVERSITAS
PETROȘANI – ROMANIA
2007

ISSN 1454-9166

EDITOR OF PUBLICATION

Prof.Eng. Ioan-Lucian BOLUNDUȚ Ph.D.

E-mail: ibol@upet.ro

ADVISORY BOARD

Prof.Eng. Moise-Ioan ACHIM Ph.D. - “1 Decembrie 1918” University of Alba-Iulia, *Romania*;
Prof.Eng. Ioan CARTIȘ Ph.D. - Politechnical University of Timișoara, *Romania*; **Prof.Eng. Tudor CHERECHEȘ Ph.D.**, Brigade General (ret.) - Military Technical Academy, București, *Romania*;
Prof.Eng. Sorin DIMITRIU Ph.D. - “Politehnica” University of București, *Romania*; **Prof.Eng. Valeriu DULGHERU Ph.D.** - Technical University of Moldova, Chișinău, *Republic of Moldova*; **Prof.Eng. Alexandru FLOREA Ph.D.** - University of Petroșani, *Romania*; **Prof.Eng. Otto GRIGOROV Ph.D.** - National Technical University of Kharkov, *Ukraine*; **Prof.Eng. Anatoli GHRABCHENKO Ph.D.** - National Technical University of Kharkov, *Ukraine*; **Prof.Eng. Nicolae ILIAȘ Ph.D.** - University of Petroșani, *Romania*; **Prof.Eng. Ioan-Julian IRIMIE Ph.D.** - University of Petroșani, *Romania*; **Prof.Eng. Iosif KOVACS Ph.D.** - University of Petroșani, *Romania*; **Assoc.Prof.Eng. Gábor LADÁNYI Ph.D.** - University of Miskolc, *Hungary*; **Prof.Eng. Andrei MAGYARI Ph.D.** - University of Petroșani, *Romania*; **Prof.Eng. Oleksandr MIKHAYLOV Ph.D.** - Donetsk National Technical; University, *Ukraine*; **Prof.Eng. Eugen PAY Ph.D.** - North University of Baia-Mare, *Romania*; **Assoc.Prof.Eng. Eugen PĂMÎNȚĂȘ Ph.D.** - Politechnical University of Timișoara, *Romania*; **Prof.Eng. Octavian PRUTEANU Ph.D.** - Technical University “Gh. Asachi” of Iași, *Romania*; **Prof.Eng. Alexei TOCA Ph.D.** - Technical University of Moldova, Chișinău, *Republic of Moldova*; **Prof.Eng. Raul R. TURMANIDZE Ph.D.** - Technical University of Tbilisi, *Georgia*; **Prof.Eng. Vlad ULMANU Ph.D.** - “Petroleum-Gas” University of Ploiești, *Romania*; **Prof.Eng. Nicolae UNGUREANU Ph.D.** - North University of Baia-Mare, *Romania*; **Assoc.Prof.Eng. György VÓNEKY Ph.D.** - University of Miskolc, *Hungary*; **Prof.Eng. Vasile ZAMFIR Ph.D.** - University of Petroșani, *Romania*; **Prof.Eng. Gheorghe ZGURĂ Ph.D.** - “Politehnica” University of București, *Romania*

EDITORIAL BOARD

Editor-in-chief:

Prof.Eng. Nicolae ILIAȘ Ph.D. - University of Petroșani, Romania

Associate Editors:

Prof.Eng. Iosif KOVACS Ph.D. - University of Petroșani, Romania
Prof.Eng. Carmen FLOREA Ph.D. - University of Petroșani, Romania
Prof.Eng. Iosif ANDRAȘ Ph.D. - University of Petroșani, Romania
Prof.Eng. Marin-Silviu NAN Ph.D. - University of Petroșani, Romania
Prof.Eng. Horia SIMASCHEVICI Ph.D. - University of Petroșani, Romania
Conf.Eng. Iosif DUMITRESCU Ph.D. - University of Petroșani, Romania

Editor Secretary:

Lect.Eng. Sorin MIHĂILESCU Ph.D. - University of Petroșani, Romania

Editorial office address:

University of Petroșani, 20 University Street, RO-332006 Petroșani, Romania,

Phone: (40) 254/542994, 542580, 542581, 543382; **Fax:** (40) 254/543491;

Telex: 72524 univp; **E-mail:** mihailescus@gmail.com

Contents

	pag.
Mandics, Z., Tornea, G., <i>Marks of Rail Vehicle Maintenance</i>	5
Manea, C., Eparu, I., <i>The Torsion of Poles with Thin Walls Having an I Profile Section</i>	11
Manea, C., Eparu, I., <i>The Torsion of Thin Wall Poles with Annular Section, Cut According to a Generating Line</i>	19
Memet, F., <i>Environmental Protection in Marine Refrigeration Industry – Training Implications</i>	27
Mihaila, D., Radic, T., Stan, C., Banciu, M., <i>Technical Investigation and Undistructive Defectoscopical Examination by Ultrasounds of the Highly Dinamic Used Parts of the Extraction Machines Having Overtimed Operation Length</i>	33
Mihaila, D., Stan, C., Radic, T., Magyari, A., <i>Rolling Ball Bearings for Ball Mills Used in the Processing of Uranium Ores</i>	38
Motăntău, D.S., Vasiiu, T., Stanciu, T., <i>Performances of the Heat Exchanges with Field Tubes</i>	41
Mourão, A., Neșțian, G., Gonçalves-Coelho, A., <i>Selection of a Casting Technology at the Conceptual Design Level</i>	45
Muntean, I.O., <i>The Benefit of the Eolian Potential on the Mountain Zones of the Romania</i>	51
Nae, I., Petrescu, M.G., <i>Comparative Analyze of the Methods Needed to Establish the Parameters of the Cutting Regime</i>	57
Nan, M.S., Kovacs, I., Dumitrescu, I., Dimirache, G., Burlan, D., Radu, D., <i>Study Regarding the Possibilities to Improve the Parameters of Teeth on the Rotor Excavators in Operation at Jilt Sud and Jilt Nord Open Casts ...</i>	63
Nițescu, N., Stoian, A.M., <i>Some Aspects in Regard to the Designing of Interference Fits</i>	73
Olaru, S., <i>Methods to Improve Comfort During Travel</i>	79
Olaru, S., Mănescu, T.Ș., Copaci, I., <i>Study Upon the Fatigue Behaviour of Helical Springs which Equips the High Speed Railway Vehicles</i>	83
Pământaș, E., Suru, P., Dumbravă, D., Botea, T., <i>Approaches in Maintenance, Since Corrective Throughout Preventive to Proactive - from Prognosis to Scheduling</i>	89
Petrescu, M.G., Nae, I., <i>Evaluation Managerial Instruments of the Risks Specific to the Technological Processes</i>	97
Petrilean, D.C., Doșa, I., Suci, A., <i>The Car and the Environment Pollution ...</i>	103
Popescu, F., <i>Ways of Controlling Transport Capacity Variation of Belt Conveyors</i>	111

	pag.
Popescu, G., Stăncioiu, A., Ciofu, F., <i>The Result of the Researches Concerning the Amortization of Free Flutter, in the Process of Automatically Weighs of Pyrotechnical Products</i>	119
Radu, S.M., Ștefan, E., Matei, C., Manolea, M., <i>Static Modeling of the Water Jet Material Processing Through the Method of Delphi</i>	125
Simaschevici, H., Bociat, M.A., <i>Driving Device of the Scraper Arm of Solid Suspensions Settlers, on Rails, with Linear Electric Motors</i>	129
Stan, L.C., Buzbuchi, N., <i>Torsional Vibration Analysis of a Multi-Body Single Cylinder Internal Combustion Engine Model</i>	137
Stanci, A., <i>Physical Sensors for Limited of the Pressure</i>	143
Stăncioiu, A., Gîrniceanu, G., Popescu, G., <i>Durability Function Referring to Forces Cutting Variations on Stamping Die</i>	151
Stăncioiu, A., Gîrniceanu, G., Popescu, G., <i>Adaptation Stamping Appliance for Forces Measurement by Means of Bronze Cylinders</i>	155
Stănoi, G., <i>Automaintenance – an Innovating Concept of TPM</i>	159
Tănăsoiu, A., Copaci, I., <i>Modelling of the Dynamic Interaction Vehicle-Railway Induced by High-Speed Trains</i>	163
Tănăsoiu, A., Copaci, I., <i>Studies Regarding the Improvement of the Geometrical Characteristics of High Speed Railway</i>	167
Trancău, M., Călin, G., <i>Industrial Restructuring as a Means of Enhancing National Competitiveness: Overview of the Problem</i>	171
Trincă, M., <i>The Method QFD. Research for the Drilling Machine P 90 Used in the Mining Industry</i>	175
Tulbure, I., <i>Mathematical Methods to Analyse Unstable Flows in Fluid Dynamics</i>	179
Vătavu, S., <i>Structural and Operating Particularities of the Hydraulic Assemblies for the Face Roof Supports</i>	185
Index of Authors	191
Instructions for Authors	192

INDEX OF AUTHORS

B anciu, M.,	59	O laru, S.,	79, 83
Bociat, M.A.,	129	P etrescu, M.G.,	57, 97
Botea, T.,	89	Petrilean, D.C.,	103
Burlan, D.,	63	Pământaş, E.,	89
Buzbuchi, N.,	137	Popescu, F.,	111
C ălin, G.,	171	Popescu, G.,	119, 151, 155
Ciofu, F.,	119	R adic, T.,	33, 38
Copaci, I.,	83, 163, 167	Radu, D.,	63
D imirache, G.,	63	Radu, S.M.,	125
Doșa, I.,	103	S imaschevici, H.,	129
Dumbravă, D.,	89	Stan, C.,	33, 38
E paru, I.,	11, 19	Stan, L.C.,	137
G îrniceanu, G.,	151, 155	Stanci, A.,	143
Gonçalves-Coelho, A.,	45	Stanciu, T.,	41
K ovacs, I.,	63	Stăncioiu, A.,	119, 151, 155
M agyari, A.,	38	Stănoi, G.,	159
Mandics, Z.,	5	Stoian, A.M.,	73
Manea, C.,	11, 19	Suciu, A.,	103
Manolea, M.,	125	Suru, P.,	89
Mănescu, T.Ș.,	83	Ș tefan, E.,	125
Memet, F.,	27	T ănăsioiu, A.,	163, 167
Mihăilă, D.,	33, 38	Tornea, G.,	5
Motântău, D.S.,	41	Trancău, M.,	171
Mourão, A.,	45	Trincă, M.,	175
Muntean, I.O.,	51	Tulbure, I.,	179
N ae, I.,	57, 97	V asiu, T.,	41
Nan, M.S.,	63	Vătavu, S.,	185
Neștian, G.,	45		
Nițescu, N.,	73		

INSTRUCTIONS FOR AUTHORS

THE TITLE OF THE PAPER WILL BE WRITTEN WITH CAPITAL LETTERS, CENTERED, AT 7.0 cm FROM THE UPPER EDGE OF A4 FORMAT, ALONG THE ENTIRE WIDTH, TIMES NEW ROMAN, 14 POINTS, BOLD.

· (14 points)

· (14 points)

The first name and the family name will be written with CAPITAL LETTERS, BOLD, CENTERED, 130 mm width, Times New Roman, 12 points, each name being followed by number, and in the footnote the didactic and scientific degree, the position and place of work of the authors (possibly fax, E-mail) are indicated, with italics, 130 mm width, Times New Roman, 11 points.

· (12 points)

· (12 points)

<Tab> **Abstract: (Times New Roman, 10 points, bold)** The Abstract will only be in English and will have between 50 and 100 words, arranged all over the entire width, single, left – right alignment, all over the width of the printed space, Times New Roman, 10 points.

· (10 points)

· (10 points)

<Tab> **Key words: (Times New Roman, 10 points, bold)** 5 – 10 words, in English, along the entire width, Times New Roman, 10 points.

· (10 points)

· (10 points)

· (10 points)

<Tab> **1. THE TITLE OF THE CHAPTER IS WRITTEN WITH CAPITAL LETTERS, BOLD, TIMES NEW ROMAN, 11 POINTS AND WILL BE NUMBERED WITH ARABIC NUMBERS.**

· (11 points)

<Tab> The paper text paragraphs will be left – right aligned. The lines of the entire text will be single spaced with Times New Roman fonts, size 11 points.

The paper will be edited in a language of international circulation (English, French, German) on A4 format (210 x 297), page setup: top 5,6 cm, bottom 4,6 cm, left 3,7 cm, right 3,7 cm, in WORD or WORDPERFECT or WINDOWS. The size of the symbol is given next and is written in the instructions used to assist in editing the text. It indicates a blank line and does not show in the text of the paper, being obtained by pressing <ENTER>. The size of a <Tab> is 1,27 cm. No blank line is left between the paragraphs. Between the last line before the title and the title of the chapter and between the title and the first next line a blank line is left for each.

¹*Professor, Ph.D. at the University of Petroșani*

1.1 Subchapter. Subchapters can be used in the text, numbered with the number of the chapter and a number showing the number of the subtitle within the chapter. The subchapters and the numbers are Times New Roman, 11 points, bold.

· (11 points)

The text is written in new paragraph and not continuing the subtitle, an 11 point blank line being left between the subtitle and the following text.

· (11 points)

2. PRESENTATION OF THE FIGURES

· (11 points)




Fig. 1. Detachable bit

Figures should be enclosed in the text in the order of their presentation, as far as possible on the page where reference is made to them. They shall be numbered with Arabic numbers. Black – and – white, high contrast figures are recommended. Photos can be used as well, but they should be of good quality, clarity and sufficient contrast. The figures will have a legend (name of the figure), which, along with the number, will be written underneath with Times New Roman, 10 points, centered as to the figure. The figures will be surrounded by text.

· (11 points)

3. PRESENTATION OF THE TABLES

· (11 points)

The tables will be enclosed in the text, a 10 points blank line being left above and under the table, and will be numbered with Arabic numbers. Both the number and the explanations to the table are written with Times New Roman, 10 points, italic, for the number and bold for the explanation to the table, centered in the space of the table and above it. The table entries will be Times New Roman, 10 points, bold, and the data in the table will be Times New Roman, 10 points. The thin lines of the table will be ½ points (0,02 cm), and the thick ones will be ¾ ... 1 points (0,03 ... 0,04 cm).

· (11 points)

4. PRESENTATION OF THE MATHEMATICAL EQUATIONS

· (11 points)

The mathematical equations will be with times New Roman, 11 points, center of the page and numbered on the right with Arabic numbers between round brackets.

· (8 points) <Blank line 8 point high>

$$X^2 + Y^2 = Z^2 \quad (1)$$

· (8 points) <Blank line 8 point high>

An 8 point high blank line is left between the last line before the relation and the relation and between the latter and the next first line.

The last page will be at least 2/3 full.

The pages of the paper will only be numbered by a pencil outside the printing space.

· (11 points)

REFERENCES (will be written according to the model, Times New Roman 10 points).

· (10 points)

[1]. **Marian I.**, *Mecanizarea în minerit*, Editura Tehnică, București, 1969.