



ISSN 1454-9166

**ANNALS
OF THE UNIVERSITY OF PETROSANI**
MECHANICAL ENGINEERING

VOL. 11 (XXXVIII)

**Editura UNIVERSITAS
PETROȘANI – ROMANIA
2009**

ISSN 1454-9166

EDITOR OF PUBLICATION

Prof.Eng. Ioan-Lucian BOLUNDUȚ Ph.D.
E-mail: ibol@upet.ro

ADVISORY BOARD

Prof.Eng. Moise-Ioan ACHIM Ph.D. - "1 Decembrie 1918" University of Alba-Iulia, *Romania*; **Prof.Eng. Nicolae-Napoleon ANTONESCU Ph.D.** - "Petroleum-Gas" University of Ploiești, *Romania*; **Prof.Eng. Ioan CARȚIȘ Ph.D.** - Politechnical University of Timișoara, *Romania*; **Prof.Eng. Tudor CHERECHEȘ Ph.D.**, Brigade General (ret.) - Military Technical Academy, București, *Romania*; **Prof.Eng. Ion COPACI Ph.D.** - "Aurel Vlaicu" University of Arad, *Romania*; **Prof.Eng. Ioan CURTU Ph.D.** - "Transilvania" University of Brașov, *Romania*; **Prof.Eng. Predrag DAŠIĆ Ph.D.** - High Technical Mechanical School R. Krstića, Trstenik, *Serbia*; **Prof.Eng. Sorin DIMITRIU Ph.D.** - "Politehnica" University of București, *Romania*; **Prof.Eng. Valeriu DULGHERU Ph.D.** - Technical University of Moldova, Chișinău, *Republic of Moldova*; **Assoc.Prof.Eng. António GONÇALVES-COELHO Ph.D.** - Universidade Nova de Lisboa, *Portugal*; **Prof.Eng. Otto GRIGOROV Ph.D.** - National Technical University of Kharkov, *Ukraine*; **Prof.Eng. Anatoli GHRABCHENKO Ph.D.** - National Technical University of Kharkov, *Ukraine*; **Prof.Eng. Ioan-Iulian IRIMIE Ph.D.** - University of Petroșani, *Romania*; **Prof.Eng. Baki KARAMIȘ Ph.D.** - Erciyes University, Kayseri, *Turkey*; **Assoc.Prof.Eng. Gábor LADÁNYI Ph.D.** - University of Miskolc, *Hungary*; **Prof.Eng. Andrei MAGYARI Ph.D.** - University of Petroșani, *Romania*; **Prof.Eng. Oleksandr MIKHAYLOV Ph.D.** - Donetsk National Technical University, *Ukraine*; **Prof.Eng. Eugen PAY Ph.D.** - North University of Baia-Mare, *Romania*; **Assoc.Prof.Eng. Eugen PĂMÎNTAȘ Ph.D.** - Politechnical University of Timișoara, *Romania*; **Prof.Eng. Octavian PRUTEANU Ph.D.** - Technical University "Gh. Asachi" of Iași, *Romania*; **Prof.Eng. Șerban RAICU Ph.D.** - "Politehnica" University of București, *Romania*; **Prof.Eng. Yuriy SOLOMONZEV Ph.D.** - Moscow State Technological University "Stankin", *Russia*; **Prof.Eng. Alexei TOCA Ph.D.** - Technical University of Moldova, Chișinău, *Republic of Moldova*; **Prof.Eng. Raul R. TURMANIDZE Ph.D.** - Technical University of Tbilisi, *Georgia*; **Prof.Eng. Vlad ULMANU Ph.D.** - "Petroleum-Gas" University of Ploiești, *Romania*; **Prof.Eng. Nicolae UNGUREANU Ph.D.** - North University of Baia-Mare, *Romania*; **Assoc.Prof.Eng. György VÓNEKY Ph.D.** - University of Miskolc, *Hungary*; **Prof.Eng. Vasile ZAMFIR Ph.D.** - University of Petroșani, *Romania*;

EDITORIAL BOARD

Editor-in-chief: Prof.Eng. Nicolae ILIAȘ Ph.D. - University of Petroșani, *Romania*

Associate Editors: Prof.Eng. Iosif KOVACS Ph.D. - University of Petroșani, *Romania*; Prof.Eng. Carmen FLOREA Ph.D. - University of Petroșani, *Romania*; Prof.Eng. Iosif ANDRAȘ Ph.D. - University of Petroșani, *Romania*; Prof.Eng. Marin-Silviu NAN Ph.D. - University of Petroșani, *Romania*; Prof.Eng. Horia SIMASCHEVICI Ph.D. - University of Petroșani, *Romania*; Assoc.Prof.Eng. Iosif DUMITRESCU Ph.D. - University of Petroșani, *Romania*

Editor Secretary: Assoc.Prof.Eng. Sorin MIHĂILESCU Ph.D. - University of Petroșani, *Romania*

Editorial office address:

University of Petroșani, 20 University Street, RO-332006 Petroșani, Romania,

Phone: (40) 254/542994, 542580, 542581, 543382; **Fax:** (40) 254/543491;

Telex: 72524 univp; **E-mail:** mihailscus@gmail.com

Contents

	pag.
Ambruș, A.C., Dragomir. L.O., <i>Verification of the Stability Coefficients for the Râul Mare Retezat Dam – Romania</i>	5
Andraș, A., Andraș, I., <i>Longwall Support Effectiveness Assessment Using Artificial Intelligence Methods</i>	11
Balosin, N., Magyari, A., Jula, D., <i>Aspects Regarding the Functionality of the Transmission of Overweight Vehicles Used in Lime Pits</i>	15
Cep, R., Sadilek, M., <i>Determination of Ceramic Materials Mechanical Properties by Using of Indentant Techniques</i>	23
Cerbu, C., Curtu, I., <i>Flexural Tests in Case of Some Composites Reinforced with Carpinus/Beech Wood Flour</i>	29
Copaci, I., Iliăș, N., Tănăsioiu, A., <i>The Study Upon the Transmitted Forces and Stresses which Appear During the Freight Car Buffing</i>	37
Curtu, I., Stanciu, M.D., Grimberg, R., <i>Aspects Regarding Dynamic Behaviour of Ligno-Cellulose Plates with Different Strutting Systems</i>	43
Damian, R.M., Coșoiu, C.I., <i>Numerical Simulation on an Airfoil Placed in a Uniform Velocity Field</i>	53
Diaconescu, G., Magyari, A., Vătavu, S., <i>The Reasons Concerning the Attrition of Gearing Pumps Determined by the Working and Utilization Conditions</i>	63
Dinescu, S., Andraș, A., <i>Modeling of Shearer Loader Cutter Head in Order to Improve Energy Consumption</i>	67
Dragomir. L.O., Ambruș, A.C., <i>Analysis of the Factors and Parameters which Influence the Hydro-Technical Constructions From the Râul Mare Complex</i>	73
Drăgan, A., Mihai, F.M., <i>Technical Proposal for Improving the Elastic Couplings Used in Mining</i>	81
Edelhauser, E., Ionică, A., <i>Computer Integrated Manufacturing Through Work-Cells and Computer Numerical Control Machines</i>	87
Isac, C., Isac, A., Ivănuș, L., <i>Linear Programming in the Management of Repairs</i>	93
Jula, D., Balosin, N., Magyari, A., <i>The Determination of the Mechanical Transmission Main Reliability Indicators in Overweight Dump Trucks</i>	105
Kovacs, I., Nan, M.S., Tomuș, O.B., <i>Researches on the Dislodging Process for Subsequent Modernization of Buckets Mounted on Rotor Excavators</i>	113
Lupescu, M., <i>National Strategy in Transport Sector and Possibility to Finance a Transport Project from Structural Instruments</i>	125

	pag
Mangu, S.I., <i>The Complex Mechanization in the Coal Mining Basin Jiu Valley - An Approach from the Perspective of Costs Relevance in the Decisional Process</i>	131
Memet, F., Sag, O.K., <i>Exergy Analysis Methodology for All Air Systems</i>	141
Mihai, F.M., Nanu, V., <i>Equipment for Combating the Produced Coal Dust in the Discharge Points of the Quarry Conveyors</i>	147
Nan, M.S., Popescu, F.D., Dimirache, G., Colda, C., Grigorie, P., <i>Research Regarding the Improvement of Methods and Means for Balancing Complex Operating Machinery</i>	151
Nanu, V., Drăgan, A., <i>Technical Proposal Regarding the Efficiency Increase of the Transport System Used in the Mining Industry</i>	163
Novák-Marcinčin, J., Kuzmiaková, M., <i>Basic Components of Virtual Reality ...</i>	175
Petrilean, D.C., Jitea, P.C., Suciu, A., <i>Exergetic Efficiency of Pneumatic Installation with Polytropic Compression</i>	183
Praporgescu, G., <i>Aspects Regarding the Inductors Dimensioning Used by Brazing of the Metal Carbide Plates on the Detachable Bits</i>	191
Puiu, D.H., Lupescu, M., <i>Quality Management System</i>	199
Simaschevici, H., Mihăilescu, S., <i>Drive of Circular Clarifiers for Suspended Solids with the Help of Linear Electric Motors</i>	205
Stegaru (Pârvu), D., Nan, M.S., Pârvu, A., Colda, C.I., Grigorie, P., <i>Considerations Regarding Waste Water Treatment and Decontamination Technologies of Industrial Decommissioned Areas</i>	211
Ungureanu, N., Novák-Marcinčin, J., Cotetiu, R., <i>International Cooperation in Area of Manufacturing Engineering - LLP Project IRMA</i>	221
Vătavu, N., Vătavu, S., <i>Opinions on the Compliance of Underground Non-Metallic Pipework Intended for the Conveyance of Oil Products with the European Safety Requirements</i>	229
Index of Authors	237
Instructions for Authors	238

INDEX OF AUTHORS

A mbruș, A.C.,	5, 73	K ovacs, I.,	113
Andraș, A.,	11, 67	Kuzmiaková, M.,	175
Andraș, I.,	11	L upescu, M.,	125, 199
B alosin, N.,	15, 105	M agyari, A.,	15, 63, 105
C ep, R.,	23	Mangu, S.I.	131
Cerbu, C.,	29	Memet, F.,	141
Colda, C.,	151, 211	Mihai, F.M.,	81, 147
Copaci, I.,	37	Mihăilescu, S.,	205
Coșoiu, C.I.,	53	N an, M.S.,	113, 151, 211
Cotetiu, R.,	221	Nanu, V.,	147, 163
Curtu, I.,	29, 43	Novák-Marcinčin, J.,	175, 221
D amian, R.M.,	53	P ârvu, A.,	211
Diaconescu, G.,	63	Petrilean, D.C.	183
Dimirache, G.,	151	Popescu, F.,	151
Dinescu, S.,	67	Praporgescu, G.,	191
Dragomir. L.O.,	5, 73	Puiu, D.H.,	199
Drăgan, A.,	81, 163	S adilek, M.,	23
E delhauser, E.,	87	Sag, O.K.,	141
G rigorie, P.,	151, 211	Simashevici, H.,	205
Grimberg, R.,	43	Stanciu, M.D.,	43
I liaș, N.,	37	Stegaru (Pârvu), D.,	211
Ionică, A.,	87	Suciu, A.,	183
Isac, A.,	93	T ănăsioiu, A.,	37
Isac, C.,	93	Tomuș, O.B.,	113
Ivănuș, L.,	93	U ngureanu, N.,	221
J itea, P.C.,	183	V ătavu, N.,	229
Jula, D.,	15, 105	Vătavu, S.,	63, 229

INSTRUCTIONS FOR AUTHORS¹

THE TITLE OF THE PAPER WILL BE WRITTEN WITH CAPITAL LETTERS, CENTERED, AT 7.0 cm FROM THE UPPER EDGE OF A4 FORMAT, ALONG THE ENTIRE WIDTH, TIMES NEW ROMAN, 14 POINTS, BOLD.

· (14 points)

· (14 points)

The first name and the family name will be written with CAPITAL LETTERS, BOLD, CENTERED, 130 mm width, Times New Roman, 12 points, each name being followed by number, and in the footnote the didactic and scientific degree, the position and place of work of the authors (possibly fax, E-mail) are indicated, with italics, 130 mm width, Times New Roman, 11 points.

· (12 points)

· (12 points)

<Tab> Abstract: (Times New Roman, 10 points, bold) The Abstract will only be in English and will have between 50 and 100 words, arranged all over the entire width, single, left – right alignment, all over the width of the printed space, Times New Roman, 10 points.

· (10 points)

· (10 points)

<Tab> Key words: (Times New Roman, 10 points, bold) 5 – 10 words, in English, along the entire width, Times New Roman, 10 points.

· (10 points)

· (10 points)

· (10 points)

<Tab> 1. THE TITLE OF THE CHAPTER IS WRITTEN WITH CAPITAL LETTERS, BOLD, TIMES NEW ROMAN, 11 POINTS AND WILL BE NUMBERED WITH ARABIC NUMBERS.

· (11 points)

<Tab> The paper text paragraphs will be left – right aligned. The lines of the entire text will be single spaced with Times New Roman fonts, size 11 points.

The paper will be edited in a language of international circulation (English, French, German) on A4 format (210 x 297), page setup: top 5.6 cm, bottom 4.6 cm, left 3.7 cm, right 3.7 cm, in WORD and the number of pages must be even between 4 and 16. The size of the symbol is given next and is written in the instructions used to assist in editing the text. It indicates a blank line and does not show in the text of the paper, being obtained by pressing <ENTER>. The size of a <Tab> is 1.27 cm. No blank line is left between the paragraphs. Between the last line before the title and the title of the chapter and between the title and the first next line a blank line is left for each.

¹ *Professor Eng., Ph.D. at the University of Petroşani, email adress*

<Tab> **1.1 Subchapter. Subchapters can be used in the text, numbered with the number of the chapter and a number showing the number of the subtitle within the chapter. The subchapters and the numbers are Times New Roman, 11 points, bold.**

· (11 points)

The text is written in new paragraph and not continuing the subtitle, an 11 point blank line being left between the subtitle and the following text.

· (11 points)

2. PRESENTATION OF THE FIGURES

· (11 points)




Fig. 1. Detachable bit

Figures should be enclosed in the text in the order of their presentation, as far as possible on the page where reference is made to them. They shall be numbered with Arabic numbers. Black – and – white, high contrast figures are recommended. Photos can be used as well, but they should be of good quality, clarity and sufficient contrast. The figures will have a legend (name of the figure), which, along with the number, will be written underneath with Times New Roman, 10 points, centered as to the figure. The figures will be surrounded by text.

· (11 points)

3. PRESENTATION OF THE TABLES

· (11 points)

The tables will be enclosed in the text, a 10 points blank line being left above and under the table, and will be numbered with Arabic numbers. Both the number and the explanations to the table are written with Times New Roman, 10 points, italic, for the number and bold for the explanation to the table, centered in the space of the table and above it. The table entries will be Times New Roman, 10 points, bold, and the data in the table will be Times New Roman, 10 points. The thin lines of the table will be ½ points (0.02 cm), and the thick ones will be ¾ ... 1 points (0.03 ... 0.04 cm).

· (11 points)

4. PRESENTATION OF THE MATHEMATICAL EQUATIONS

· (11 points)

The mathematical equations will be with times New Roman, 11 points, center of the page and numbered on the right with Arabic numbers between round brackets.

· (8 points) <Blank line 8 point high>

$$X^2 + Y^2 = Z^2 \quad (1)$$

· (8 points) <Blank line 8 point high>

An 8 point high blank line is left between the last line before the relation and the relation and between the latter and the next first line.

The last page will be at least 2/3 full.

The pages of the paper will only be numbered by a pencil outside the printing space.

· (11 points)

REFERENCES (will be written according to the model, Times New Roman 10 points).

· (10 points)

[1]. **Marian I.**, *Mecanizarea în minieră*, Editura Tehnică, București, 1969.