



ISSN 1454-9166

**ANNALS
OF THE UNIVERSITY OF PETROSANI**
MECHANICAL ENGINEERING

VOL. 12 (XXXIX)

**Editura UNIVERSITAS
PETROȘANI – ROMANIA
2010**

ISSN 1454-9166

EDITOR OF PUBLICATION

Prof.Eng. Ioan-Lucian BOLUNDUȚ Ph.D.

E-mail: ibol@upet.ro

ADVISORY BOARD

Prof.Eng. Moise-Ioan ACHIM Ph.D. - "1 Decembrie 1918" University of Alba-Iulia, *Romania*; **Prof.Eng. Niculae-Napoleon ANTONESCU Ph.D.** - "Petroleum-Gas" University of Ploiești, *Romania*; **Prof.Eng. Ioan CARTIȘ Ph.D.** - Politechnical University of Timișoara, *Romania*; **Prof.Eng. Tudor CHERECHEȘ Ph.D.**, Brigade General (ret.) - Military Technical Academy, București, *Romania*; **Prof.Eng. Ion COPACI Ph.D.** - "Aurel Vlaicu" University of Arad, *Romania*; **Prof.Eng. Ioan CURTU Ph.D.** - "Transilvania" University of Brașov, *Romania*; **Prof.Eng. Predrag DAŠIĆ Ph.D.** - High Technical Mechanical School R. Krstića, Trstenik, *Serbia*; **Prof.Eng. Sorin DIMITRIU Ph.D.** - "Politehnica" University of București, *Romania*; **Prof.Eng. Valeriu DULGHERU Ph.D.** - Technical University of Moldova, Chișinău, *Republic of Moldova*; **Assoc.Prof.Eng. António GONÇALVES-COELHO Ph.D.** - Universidade Nova de Lisboa, *Portugal*; **Prof.Eng. Otto GRIGOROV Ph.D.** - National Technical University of Kharkov, *Ukraine*; **Prof.Eng. Anatoli GHRABCHENKO Ph.D.** - National Technical University of Kharkov, *Ukraine*; **Prof.Eng. Nicolae ILIAȘ Ph.D.** - University of Petroșani, *Romania*; **Prof.Eng. Ioan-Iulian IRIMIE Ph.D.** - University of Petroșani, *Romania*; **Prof.Eng. Baki KARAMIȘ Ph.D.** - Erciyes University, Kayseri, *Turkey*; **Prof.Eng. Iosif KOVACS Ph.D.** - University of Petroșani, *Romania*; **Assoc.Prof.Eng. Gábor LADÁNYI Ph.D.** - University of Miskolc, *Hungary*; **Prof.Eng. Andrei MAGYARI Ph.D.** - University of Petroșani, *Romania*; **Prof.Eng. Oleksandr MIKHAYLOV Ph.D.** - Donetsk National Technical University, *Ukraine*; **Prof.Eng. Eugen PAY Ph.D.** - North University of Baia-Mare, *Romania*; **Assoc.Prof.Eng. Eugen PĂMÎNȚAȘ Ph.D.** - Politechnical University of Timișoara, *Romania*; **Prof.Eng. Octavian PRUTEANU Ph.D.** - Technical University "Gh. Asachi" of Iași, *Romania*; **Prof.Eng. Șerban RAICU Ph.D.** - "Politehnica" University of București, *Romania*; **Prof.Eng. Yuriy SOLOMONZEV Ph.D.** - Moscow State Technological University "Stankin", *Russia*; **Prof.Eng. Alexei TOCA Ph.D.** - Technical University of Moldova, Chișinău, *Republic of Moldova*; **Prof.Eng. Raul R. TURMANIDZE Ph.D.** - Technical University of Tbilisi, *Georgia*; **Prof.Eng. Vlad ULMANU Ph.D.** - "Petroleum-Gas" University of Ploiești, *Romania*; **Prof.Eng. Nicolae UNGUREANU Ph.D.** - North University of Baia-Mare, *Romania*; **Assoc.Prof.Eng. György VÓNEKY Ph.D.** - University of Miskolc, *Hungary*; **Prof.Eng. Vasile ZAMFIR Ph.D.** - University of Petroșani, *Romania*

EDITORIAL BOARD

Editor-in-chief: Assoc.Prof.Eng. Sorin MIHĂILESCU Ph.D. - University of Petroșani, *Romania*

Associate Editors: Prof.Eng. Carmen FLOREA Ph.D. - University of Petroșani, *Romania*; **Prof.Eng. Iosif ANDRAȘ Ph.D.** - University of Petroșani, *Romania*; **Prof.Eng. Marin-Silviu NAN Ph.D.** - University of Petroșani, *Romania*; **Prof.Eng. Horia SIMASCHEVICI Ph.D.** - University of Petroșani, *Romania*; **Assoc.Prof.Eng. Iosif DUMITRESCU Ph.D.** - University of Petroșani, *Romania*;

Editor Secretary: Assoc.Prof.Eng. Gabriel PRAPORGESCU Ph.D. - University of Petroșani, *Romania*

Editorial office address:

University of Petroșani, 20 University Street, RO-332006 Petroșani, Romania,
Phone: (40) 254/542994, 542580, 542581, 543382; **Fax:** (40) 254/543491;
Telex: 72524 univp; **E-mail:** mihailescus@gmail.com

Contents

	pag.
Belingher, C., Belingher, G., Voicu, G.V., Grigorie, P., <i>The Influence of the Quality Management System on the Supply Activity with Spare Parts for the Mining Equipment from the Lignite</i>	5
Belingher, G., Belingher, C., Grigorie, P., Voicu, G.V., <i>Researches Regarding the Assurance of the Supply with Spare Parts for the Mining Equipment from the Lignite Quarries</i>	11
Bolog, C., <i>A New Approach Regarding the Angular Momentum in Classical Dynamics and Some of Its Consequences</i>	17
Bolunduț, I.L., <i>Electrochemical Deburring of Mining Hydraulic Elements</i>	23
Brînzan, D.D., Florea, C., Mihăilescu, S., <i>Aspects Related to the Use of High Capacity Face Conveyors</i>	33
Buda, N., Voicu, G.V., Pop, G., Rus, I., <i>The Study of the Possibilities to Model and Simulate the Operation of Main Pipe Transport Systems</i>	43
Buioca, C.D., <i>Increasing Measurements Accuracy in Mechanical Experiments by Using Mathcad Data Interpolation</i>	53
Crăciun, I., Stoicovici, D., Horgoș, M., <i>About the Transitory Regime of the Mining Extraction Machine</i>	59
Dăscălescu, A., Ungureanu, M., <i>CAD - CAM Programs Applied to the Cycloid Profile Wheels Processing</i>	65
Doșa, I., <i>Finding the Best Cooling Scheme for Paroseni Power Plant</i>	71
Dumitrescu, I., Jula, D., Roșu (Gârjob), E., Poiană, L., Lupulescu, M., <i>Issues Concerning the Increase of the Uptime for the Cylindrical Gear that Is Part of the Rotating System of EsRc 1400 Bucket Wheel Excavator</i>	81
Fabian, S., <i>Influence of Abrasive Lineness Change on Water Jet Technologic Head of Vibrations Origin</i>	93
Florea, C., Bonculescu, A., Praporgescu, G., <i>Integrated Environmental Monitoring System</i>	97
Grygorov, O.V., Zaytsev, Y.I., Svirgun, V.P., Srtzyzhak, V.V., <i>Realization of Energy-Saving Control Modes on Cranes of Great Load-Carrying Capacity</i>	111
Gubskiy, S.O., Grygorov, O.V., <i>Assessment of Mode of Deformation of Bridge Crane Metal Construction with Magnetic (Coercive Metric) Control Method</i>	119
Iloiu, M., Csiringa, D., Iloiu, S., <i>How to Manage Technical Risks</i>	127
Jula, D., Dumitrescu, I., Lupulescu, M., Poiană, L., Roșu (Gârjob), E., <i>Safety Couplings Used in the Mechanical Transmission of the Rotating System on 1400 EsRc Bucket Wheel Excavators</i>	133

	pag
Krenicky, T., Fabian, S., <i>Quantification and Analysis of the Influence of Selected Technological Parameters on the Angle of Water Jet Angle Digression on the Surface of the Area Machined by AWJ Technology</i>	141
Ladányi, G., Sümegi, I., <i>Bucket and Cutting Tooth Developments for the Bucket Wheel Excavators of Mátra Power Station LLC</i>	151
Magyari, A., Petrescu, A., <i>Improving the Management of Technological Processes in the Field of Construction Materials Production</i>	163
Memet, F., Sag, O.K., <i>A Study on Organic Rankine Cycles Working with R 245 fa and R 236 fa</i>	175
Pârvu, A., Magyari, A., Buda, N., Hilcu, O., <i>Survey Regarding the Hydraulic Determination of a Main Pipe Transport System</i>	181
Petrescu, A., Magyari, A., <i>The Mathematical Modeling of the Programming of the Assimilation of New Products in the Construction Materials Industry</i> ..	191
Petrilean D.C., Pârvu, A., Davidoiu, A.A., <i>The Variation of Temperature Drop of the Compressed Air in Pneumatic Network</i>	199
Stark, A., Zoller, I., <i>Applying Multidimensional Space Geometrical Representation Methods in the Graphical Expression of the Triple Integral</i>	207
Tănăsioiu, A., Copaci, I., Iliș, N., Mihăilescu, S., <i>Study on the Shock Insulators of Railway Vehicles</i>	213
Vătavu, N., Vătavu, S., <i>New Methods to Check the Safety Parameters for Non-Metallic Pipes Intended for Use with Liquid Fuel</i>	221
Zamfir, V., Vîrgolici, H., <i>Synthesis of Four-Bar Linkage Using Displacement Equations</i>	229
Zoller, I., <i>Parameters Modelling for Cycloidal Meshing Gear Teeth</i>	235
Index of Authors	247
Instructions for Authors	248

INDEX OF AUTHORS

B elingher, C.,	5, 11	L adányi, G.,	151
Belingher, G.,	5, 11	Lupulescu, M.,	81, 133
Bolog, C.,	17	M agyari, A.,	163, 181, 191
Bolunduț, I.L.,	23	Memet, F.,	175
Bonculescu, A.,	97	Mihăilescu, S.,	33, 213
Brînzan, D.D.,	33	P ârvu, A.,	181, 199
Buda, N.,	43, 181	Petrilean, D.C.	199
Buioca, C.D.,	53	Pop, G.,	43
C opaci, I.,	213	Petrescu, A.,	163, 191
Crăciun, I.,	59	Poiană, L.,	81, 133
Csiminga, D.,	127	Praporgescu, G.,	97
D avidoiu, A.A.,	199	R oșu (Gârjob), E.,	81, 133
Dăscălescu, A.,	65	Rus, I.,	43
Doșa, I.,	71	S ag, O.K.,	175
Dumitrescu, I.,	81, 133	Stark, A.,	207
F abian, S.,	93, 141	Stoicovici, D.,	59
Florea, C.,	33, 97	Srtyzhak, V.V.,	111
G rigorie, P.,	5, 11	Sümegi, I.,	151
Grygorov, O.V.,	111, 119	Svirgun, V.P.,	111
Gubskiy, S.O.,	119	T ănăsoiu, A.,	213
H îlcu, O.,	181	U ngureanu, M.,	65
Horgoș, M.,	59	V ătavu, N.,	221
I liaș, N.,	213	Vătavu, S.,	221
Iloiu, M.,	127	Vîrgolici, H.,	229
Iloiu, S.,	127	Voicu, G.V.,	5, 11, 43
J ula, D.,	81, 133	Z amfir, V.,	229
K renicky, T.,	141	Zoller, I.,	207, 235
		Zaytsev, Y.I.,	111

INSTRUCTIONS FOR AUTHORS¹

THE TITLE OF THE PAPER WILL BE WRITTEN WITH CAPITAL LETTERS, CENTERED, AT 7.0 cm FROM THE UPPER EDGE OF A4 FORMAT, ALONG THE ENTIRE WIDTH, TIMES NEW ROMAN, 14 POINTS, BOLD.

· (14 points)

· (14 points)

The first name and the family name will be written with CAPITAL LETTERS, BOLD, CENTERED, 130 mm width, Times New Roman, 12 points, each name being followed by number, and in the footnote the didactic and scientific degree, the position and place of work of the authors (possibly fax, E-mail) are indicated, with italics, 130 mm width, Times New Roman, 11 points.

· (12 points)

· (12 points)

<Tab> **Abstract: (Times New Roman, 10 points, bold)** The Abstract will only be in English and will have between 50 and 100 words, arranged all over the entire width, single, left – right alignment, all over the width of the printed space, Times New Roman, 10 points.

· (10 points)

· (10 points)

<Tab> **Key words: (Times New Roman, 10 points, bold)** 5 – 10 words, in English, along the entire width, Times New Roman, 10 points.

· (10 points)

· (10 points)

· (10 points)

<Tab> **1. THE TITLE OF THE CHAPTER IS WRITTEN WITH CAPITAL LETTERS, BOLD, TIMES NEW ROMAN, 11 POINTS AND WILL BE NUMBERED WITH ARABIC NUMBERS.**

· (11 points)

<Tab> The paper text paragraphs will be left – right aligned. The lines of the entire text will be single spaced with Times New Roman fonts, size 11 points.

The paper will be edited in a language of international circulation (English, French, German) on A4 format (210 x 297), page setup: top 5.6 cm, bottom 4.6 cm, left 3.7 cm, right 3.7 cm, in WORD and the number of pages must be even between 4 and 16. The size of the symbol is given next and is written in the instructions used to assist in editing the text. It indicates a blank line and does not show in the text of the paper, being obtained by pressing <ENTER>. The size of a <Tab> is 1.27 cm. No blank line is left between the paragraphs. Between the last line before the title and the title of the chapter and between the title and the first next line a blank line is left for each.

¹ *Professor Eng., Ph.D. at the University of Petroşani, email adress*

<Tab> **1.1 Subchapter. Subchapters can be used in the text, numbered with the number of the chapter and a number showing the number of the subtitle within the chapter. The subchapters and the numbers are Times New Roman, 11 points, bold.**

· (11 points)

The text is written in new paragraph and not continuing the subtitle, an 11 point blank line being left between the subtitle and the following text.

· (11 points)

2. PRESENTATION OF THE FIGURES

· (11 points)




Fig. 1. Detachable bit

Figures should be enclosed in the text in the order of their presentation, as far as possible on the page where reference is made to them. They shall be numbered with Arabic numbers. Black – and – white, high contrast figures are recommended. Photos can be used as well, but they should be of good quality, clarity and sufficient contrast. The figures will have a legend (name of the figure), which, along with the number, will be written underneath with Times New Roman, 10 points, centered as to the figure. The figures will be surrounded by text.

· (11 points)

3. PRESENTATION OF THE TABLES

· (11 points)

The tables will be enclosed in the text, a 10 points blank line being left above and under the table, and will be numbered with Arabic numbers. Both the number and the explanations to the table are written with Times New Roman, 10 points, italic, for the number and bold for the explanation to the table, centered in the space of the table and above it. The table entries will be Times New Roman, 10 points, bold, and the data in the table will be Times New Roman, 10 points. The thin lines of the table will be ½ points (0.02 cm), and the thick ones will be ¾ ... 1 points (0.03 ... 0.04 cm).

· (11 points)

4. PRESENTATION OF THE MATHEMATICAL EQUATIONS

· (11 points)

The mathematical equations will be with times New Roman, 11 points, center of the page and numbered on the right with Arabic numbers between round brackets.

· (8 points) <Blank line 8 point high>

$$X^2 + Y^2 = Z^2 \quad (1)$$

· (8 points) <Blank line 8 point high>

An 8 point high blank line is left between the last line before the relation and the relation and between the latter and the next first line.

The last page will be at least 2/3 full.

The pages of the paper will only be numbered by a pencil outside the printing space.

· (11 points)

REFERENCES (will be written according to the model, Times New Roman 10 points).

· (10 points)

[1]. **Marian I.**, *Mining mechanization*, Technical Publishing House, Bucharest, 1969 (Romanian language)